Journal of Biochemical and Biophysical Methods, 20 (1990) 360–362
Elsevier

Author Index

Abusugra, I.A., Linné, T. and Berg, M.
Simplified polyacrylamide gel electrophoresis and silver staining for analysis and preparation of influenza virus RNA segments (20) 207
Agrup, G., see Holmquist, L. (20) 303
Allewell, N.M., see Bromberg, S. (20) 143
Andreoni, A., Bernini, U., Mastrocinque, M., Quarto, E. and Russo, P.
Quantitative measurements of porphyrin pigments in tissues via photoacoustic spectroscopy (20) 195
Ankerst, J., see Thorén, S.A. (20) 217
Ansorge, W., Voss, H., Wirkner, U., Schwager, C., Stegemann, J., Pepperkok, R., Zimmermann, J. and Erfle, H.
Automated Sanger DNA sequencing with one label in less than four lanes on gel (20) 47
Anundi, H., see Holmquist, L. (20) 303

Bacon, T.A., see Campbell, J.M. (20) 259
Berg, M., see Abusugra, I.A. (20) 207
Berger, R., see Van Faassen, H. (20) 189
Berger, R., see Van Faassen, H. (20) 317
Bernini, U., see Andreoni, A. (20) 195
Bignon, C., Roux-Dosseto, M., Lissitzky, J.-C. and Martin, P.-M.
Modulable Southern and Northern blot hybridization apparatus for routine screening of gene amplification and expression (20) 293
Biltonen, R.L., see Van Osdol, W.W. (20) 1
Bromberg, S., Burz, D.S. and Allewell, N.M.
Use of analytical gel chromatography to analyze tertiary and quaternary structural changes in *E. coli* aspartate transcarbamylase (20) 143
Burz, D.S., see Bromberg, S. (20) 143

Cabré, F., Cascante, M. and Canela, E.I.
Application of inverse regression for estimating molecular masses and Stokes radii of globular proteins by gel filtration chromatography (20) 123
Calderón, A.A., Pedreño, M.A., Ros Barceló, A. and Muñoz, R.
A spectrophotometric assay for quantitative analysis of the oxidation of 4-hydroxystilbene by peroxidase-H_2O_2 systems (20) 171
Campbell, J.M., Bacon, T.A. and Wickstrom, E.
Oligodeoxynucleoside phosphorothioate stability in subcellular extracts, culture media, sera and cerebrospinal fluid (20) 259
Canela, E.I., see Cabré, F. (20) 123
Cascante, M., see Cabré, F. (20) 123
Chermant, J.-L., see Le Goff, D. (20) 247
Christova, R. and Galcheva-Gargova, Z.
A simple method for isolation of DNA fragments associated with the nuclear lamina in vivo (20) 107
Conti, A., see Presnell, B. (20) 325
Cserháti, T. and Valko, K.
Relationship between the hydrophobic and hydrophilic molecular parameters of some synthetic nucleosides, determined by means of adsorptive and reversed-phase thin-layer chromatography (20) 81

Erfle, H., see Ansorge, W. (20) 47
Erhardt, G., see Presnell, B. (20) 325
Ewing, D.D., see Stepanik, T.M. (20) 157

Galcheva-Gargova, Z., see Christova, R. (20) 107
Gianazza, E., see Sinha, P.K. (20) 345
Godovac-Zimmermann, J., see Presnell, B. (20) 325
Guerranti, R., see Leoncini, R. (20) 97

Hartter, E., see Missbichler, A. (20) 113
Heegaard, P.M.H., see Nielsen, C.S. (20) 69
Holm Hansen, P., see Nielsen, C.S. (20) 69
Holmquist, L., Agrup, G., Anundi, H. and Vesterberg, O.
High performance concentration and gel filtration of rat urinary protein allergens (20) 303

Iwaguchi, T., see Shimizu, M. (20) 335

0165-022X/90/$03.50 © 1990 Elsevier Science Publishers B.V. (Biomedical Division)

Johnson, M.L., see Van Osdol, W.W. (20) 1

Kısakürek, D., see Önal, A. (20) 137
Korpela, T., see Mattsson, P. (20) 237
Köttgen, E., see Sinha, P.K. (20) 345
Krause, I., see Presnell, B. (20) 325

Laurents, D.V., see Shirley, B.A. (20) 181
Le Goff, D., Nouvelot, A. and Chermant, J.-L.
Determination of size and molecular weight distributions of lipoproteins using automatic image analysis and density gradient ultracentrifugation (20) 247
Leoncini, R., Guerranti, R., Pagani, R. and Marinello, E.
An improved method for purification of L-threonine deaminase from rat liver (20) 97
Lihme, A., see Nielsen, C.S. (20) 69
Linné, T., see Abusugra, I.A. (20) 207
Lissitzky, J.-C., see Bignon, C. (20) 293

Marinello, E., see Leoncini, R. (20) 97
Martin, B.M., see Mussar, K.J. (20) 53
Martin, P.-M., see Bignon, C. (20) 293
Mastrocinque, M., see Andreoni, A. (20) 195
Mattsson, P., Meklin, S. and Korpela, T.
Analysis of cyclomaltodextrin glucanotransferase isoenzymes by isoelectric focusing in immobilized pH gradients (20) 237
Meklin, S., see Mattsson, P. (20) 237
Missbichler, A., Hartter, E., Woloszczuk, W. and Pittner, F.
Determination of α-human atrial natriuretic peptide (α-hANP) in urine using combination of HPLC with RIA strongly indicates non-immunoreactive metabolites (20) 113
Muñoz, R., see Calderón, A.A. (20) 171
Murray, G.J., see Mussar, K.J. (20) 53
Mussar, K.J., Murray, G.J., Martin, B.M. and Viswanatha, T.
Peptide: *N*-glycosidase F: studies on the glycoprotein aminoglycan amidase from *Flavobacterium meningosepticum* (20) 53

Nielsen, C.S., Holm Hansen, P., Lihme, A. and Heegaard, P.M.H.
Real time monitoring of acylations during solid phase peptide synthesis: a method based on electrochemical detection (20) 69
Nouvelot, A., see Le Goff, D. (20) 247

Öğüş, A., see Önal, A. (20) 137
Önal, A., Öğüş, A. and Kısakürek, D.
A new electrochemical method for the production of stable ascorbate free radicals (20) 137

Pagani, R., see Leoncini, R. (20) 97
Pedreño, M.A., see Calderón, A.A. (20) 171
Peeters, K., see Vanfleteren, J.R. (20) 227
Pepperkok, R., see Ansorge, W. (20) 47
Pittner, F., see Missbichler, A. (20) 113
Presnell, B., Conti, A., Erhardt, G., Krause, I. and Godovac-Zimmermann, J.
A rapid microbore HPLC method for determination of primary structure of β-lactoglobulin genetic variants (20) 325

Quarto, E., see Andreoni, A. (20) 195

Righetti, P.G., see Sinha, P.K. (20) 345
Ros Barceló, A., see Calderón, A.A. (20) 171
Roux-Dosseto, M., see Bignon, C. (20) 293
Russo, P., see Andreoni, A. (20) 195

Schwager, C., see Ansorge, W. (20) 47
Sekine, K., see Shimizu, M. (20) 335
Shimizu, M., Sekine, K. and Iwaguchi, T.
A reverse effect of in vitro and in vivo concanavalin A-induced spleen cells on anti-sheep red blood cells response detected with a new method based on flow cytometry (20) 335
Shirley, B.A. and Laurents, D.V.
Purification of recombinant ribonuclease T_1 expressed in *Escherichia coli* (20) 181
Sinha, P.K., Köttgen, E., Stöffler-Meilicke, M., Gianazza, E. and Righetti, P.G.
Two-dimensional maps in very acidic immobilized pH gradients (20) 345
Sjögren, H.O., see Thorén, S.A. (20) 217
Stegemann, J., see Ansorge, W. (20) 47
Stepanik, T.M. and Ewing, D.D.
Coisolation of glutathione peroxidase, catalase and superoxide dismutase from human erythrocytes (20) 157
Stevens, F.J.
Fractionation of macromolecules in an alternating transverse electric field: simulation of the method (20) 275
Stöffler-Meilicke, M., see Sinha, P.K. (20) 345

Thorén, S.A., Ankerst, J. and Sjögren, H.O.
A microcalorimetric vessel for monitoring cytotoxic reactions in the micro–submicrowatt region (20) 217

Valko, K., see Cserháti, T. (20) 81
Van den Berg, I.E.T., see Van Faassen, H. (20) 317
Van Faassen, H. and Berger, R.
Separation of different forms of *S*-adenosylmethionine synthetase by fast protein liquid chromatography (20) 189
Van Faassen, H., Van den Berg, I.E.T. and Berger, R.
Purification of human liver fumarylacetoacetase using immunoaffinity chromatography (20) 317
Vanfleteren, J.R. and Peeters, K.
Chromatographic recovery of polypeptides from copper-stained sodium dodecyl sulfate polyacrylamide gels (20) 227
Van Osdol, W.W., Biltonen, R.L. and Johnson, M.L.
Measuring the kinetics of membrane phase transitions (20) 1
Vesterberg, O., see Holmquist, L. (20) 303
Viswanatha, T., see Mussar, K.J. (20) 53
Voss, H., see Ansorge, W. (20) 47

Wickstrom, E., see Campbell, J.M. (20) 259
Wirkner, U., see Ansorge, W. (20) 47
Woloszczuk, W., see Missbichler, A. (20) 113

YashRoy, R.C.
Determination of membrane lipid phase transition temperature from ^{13}C-NMR intensities (20) 353

Zimmermann, J., see Ansorge, W. (20) 47

Journal of Biochemical and Biophysical Methods, 20 (1990) 363–364
Elsevier

Subject Index

Absorption coefficient, (20) 181
Accumulation of porphyrin, (20) 195
S-Adenosylmethionine, (20) 189
S-Adenosylmethionine synthetase, (20) 189
Allergenicity, (20) 303
Antibody secretion, (20) 335
Ascorbate free radical, (20) 137
Atrial natriuretic peptide, (20) 113
Automated DNA sequencing, (20) 47
Automated synthesis, (20) 69

Carcinogenesis, (20) 189
Catalase, (20) 157
Chloroplast membranes, (20) 353
Chromatofocusing, (20) 97
Concanavalin A, (20) 335
Conductivity measurements, (20) 69
u.v.-Crosslinking, (20) 107
Cyclomaltodextrin glucanotransferase, (20) 237
Cytotoxic reaction, (20) 217

Denaturation, (20) 143
Density gradient, (20) 247
Deoxyribonuclease, (20) 259
Dideoxy-DNA sequencing, (20) 47
DNA derivative, (20) 259
DNA separation, (20) 275

Electrolysis, (20) 137
Electrophoresis, (20) 275
Esr determination, (20) 137

Fetal bovine serum, (20) 259
Field-flow fractionation, (20) 275
Flow cytometry, (20) 335
Fumarylacetoacetase, (20) 317

Gel chromatography, (20) 143
Gel electrophoresis, (20) 303
Gel filtration, (20) 303
Glutathione peroxidase, (20) 157
Glycoproteins, (20) 53
Grapevine peroxidase, (20) 171

HeLa cell lysate, (20) 259
Hemoglobin, (20) 195
High performance liquid chromatography, (20) 113
Horseradish peroxidase isoenzyme C, (20) 171
HPLC, (20) 325
HPLC Protein, (20) 189
Human, non-immunoreactive metabolites, (20) 113
Human serum, (20) 259
Hydrolase, (20) 317
Hydroxyapatite, (20) 303
4-Hydroxystilbene oxidation, (20) 171
Hypermethioninemia, (20) 189

Image analysis, (20) 247
Immobilized pH gradient, (20) 237; (20) 345
Immunoaffinity chromatography, (20) 317
Influenza virus RNA segment, (20) 207
Inverse regression, (20) 123
Isoelectric focusing, (20) 237; (20) 345

Laboratory animal allergy, (20) 303
β-Lactoglobulin, (20) 325
Lamina-DNA purification, (20) 107
Lectin binding, (20) 303
Ligand binding, (20) 143

Methionine, (20) 189
Microcalorimetric vessel, (20) 217
Micro-submicrowatt region, (20) 217
Modulable device, (20) 293
Molecular mass estimation, (20) 123
Molecular weight, (20) 247
Monitoring, (20) 69

^{13}C-NMR, (20) 353
Northern blot, (20) 293
Nuclear lamina, (20) 107
Nuclease resistance, (20) 259

Oligonucleotide fluorescent labelling, (20) 47
Oncogene amplification, (20) 293

0165-022X/90/$03.50 © 1990 Elsevier Science Publishers B.V. (Biomedical Division)

Peptide mapping, (20) 325
Peptide: *N*-glycosidase, (20) 53
Perfusion, (20) 217
PFC, (20) 335
Phase transition, (20) 353
Photoacoustic spectroscopy, (20) 195
Photofrin II, (20) 195
Photosensitizer, (20) 195
Plasma lipoprotein, (20) 247
Polyacrylamide gel electrophoresis, (20) 207
Preparative electrophoresis, (20) 227
Protein/enzyme purification, (20) 157; (20) 317
Protein purification, (20) 227
Protein recovery, (20) 227
Purification, (20) 181

Quaternary structure change, (20) 143

Rabbit reticulocyte lysate, (20) 259
Rat cerebrospinal fluid, (20) 259
Rat liver, (20) 97
Rat urinary protein, (20) 303
Reversed-phase HPLC of protein, (20) 227
Ribonuclease T_1, (20) 181

SDS-polyacrylamide , (20) 303
Silver staining, (20) 207
Single site mutant, (20) 143
Solid phase peptide synthesis, (20) 69
Southern blot, (20) 293
Spectrophotometric assay, (20) 171
Stirring, (20) 217
Stokes radius estimation, (20) 123
Subunit dissociation, (20) 143
Superoxide dismutase, (20) 157
Suppressor cell, (20) 335

L-Threonine deaminase, (20) 97
Tissue optical property, (20) 195
Two-dimensional map, (20) 345
Tyrosine, (20) 317
Tyrosinemia type I, (20) 317

Urine, (20) 113